TACKLE BLOCKS

Inside Iron Strapped Blocks with Iron Sheaves, Loose Hooks

SINGLE



Fig. 1422A

DOUBLE

Fig. 1422B



Fig. 1432C

DIMENSIO	DIMENSIONS, INCHES		PRICE	IRON B	CSHED	PRICE ROLLER BUSHED EACH				SHED, E	
Sheaves	Rope	Shell	Single	Double	Triple	Single	Double	Triple	Single	Double	Triple
134 x ½ x 38		3	.70	1.30	1.75	1.10	2.00	2.90			
2 x ½ x 3/8	1/8	31/2	.75 .85	1.45 1.60	$2.00 \\ 2.15$	1.15 1.20	2.20 2.25	3.15 3.25	1.50	2.90	4.15
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	72 5/	4 5	.90	1.75	$\frac{2.15}{2.25}$	1.25	2.35	3.50	1.75	3.35	4.75
3 x 34 x 38 3½ x 1 x ½		6	1.10	2.00	2.90	1.50	2.85	4.40	2.20	4.00	5.80
$\frac{1}{4}$ x 1 x $\frac{1}{2}$		7	1.30	2.40	3.50	1.70	3.35	5.00	2.50	4.50	6.70
3 x 1 1/8 x 5/8		8	1.65	2.85	4.25	2.25	4.15	6.00	3.25	5.70	8.50
12 x 118 x 58		9	1.85	3.40	4.75	2.50	4.70	7.25	3.70	6.75	10.00
31/4 x 11/4 x 5/8		10	2.75	4.50	6.25	3.50	6.00	8.50	4.75	8.50	12.50
14 x 14 x 34		11	4.45	7.50	10.65	5.30	9.20	13.20			
$3 \times 13^{8} \times 3^{4}$	114	12	4.45	7.50	10.65	5.30	9.20	13.20	6.75	12.50	18.50
$x 1\frac{1}{2} x \frac{3}{4}$		13	7.00	10.50	15.00	8.15	12.80	18.45	9.75	17.00	25.00
1 ₂ x 15 ₈ x 7 ₈		14	7.00	10.50	15.00	8.15	12.80	18.45	9.75	17.00	25.00
$0 \times 1_{8} \times 7_{8}$	11/2	15	8.00	13.00	18.00	9.25	15.50	21.75		• • • •	
$1 \times 1\frac{3}{4} \times \frac{7}{8}$	15/8	16	10.00	15.00	22.00	11.50	18.00	26.50		 	

For Blocks with Loose Swivel Hooks, add to List for each Hook

Single Blockinches	5	6	7	8	9	10	12 10	13 12	14 13	15	16
Double " " Triple " ") 	6 5	6	7	8	9	10	12	13	14
Priceeach	.50	.50	.50	.60	.75	.90	1.20	1.75	2.50	3.00	3.50

SNATCH BLOCKS

WOOD SNATCH BLOCK DROP LINK



Fig. 5567A

WOOD SNATCH BLOCK SELF-LOCKING



Fig. 5567B

MALLEABLE IRON SHELL SNATCH BLOCK



Fig. 5567C

WOOD SNATCH BLOCKS

120,000,000,000	Diameter	Length of		PRICE, EACH	
Sheave, Inches	Rope, Inches	Shell, Inches	Iron Bushed	Roller Bushed	Metaline or Bronze Bushed
3 x11/8 x 1/2	7/8	6	4.00	4.65	5.25
31/4 x 11/4 x 1/4	7/8 7/8	7	4.75	5.50	6.00
41% x 13% x 5%	1	8	5.75	6.60	7.25
5 x 13/8 x 5/8	11/8	9	6.75	7.75	8.50
5% x 1% x 34	11/4	10	8.50	10.00	11.00
634 x 21/8 x 3/4	11%	12	10.00	11.50	13.00
8 x 21/4 x 1/8	134	14	13.00	15.00	16.50
9 x 25 x 1	2	16	17.00	20.00	22.00
10 x3 x1	21/4	18	25.00	28.50	31.00
11 x 31/4 x 11/4	21/2	20	38.C0	43.00	46.00
1134 x 414 x 11/2	3	22	55.00	63.00	68.00
121/2 x 41/2 x 11/2	3½	24	70.00	78.00	86.00

Extra for galvanized hooks and straps.

MALLEABLE IRON SHELL SNATCH BLOCKS

		61 - 65 - 11		PRICE EACH	
Size Sheave Inches	For Diam. Rope Inches	Size Shell Inches	Star Metaline Bushed	Five-Roller Bushed	Star Pat. Graphite Bushed
3 x 1½ x ½	7/8	6	5,75	5,15	4.50
3½ x 1½ x ½	7/8	7	6.75	6.25	5.50
41/2 x 13/8 x 5/8	1 1	8	8.00	7.35	6.50
5 x 13% x 5%	11%	9	9.25	8.50	7.50
5% x 1% x %	1)4	10	12.50	11.50	10.00
8% x 21% x 34	$1\frac{1}{2}$	12	15.50	14.00	12.50
8 x 2 ½ x ½	$1\frac{3}{4}$	14	19.50	18.00	16.00
9 x 2 1 x 1	2^{-}	16	26.00	24.00	21.00

TACKLE BLOCKS

MALLEABLE IRON SHELLS-STEEL HOOKS, STRAPS, PINS AND RIVETS

SINGLE



Fig. 5710A

DOUBLE



Fig. 5710B

TRIPLE



Fig. 5710C

REGULAR MORTISE

Dimensio	ons, Incl	hes	Pla	Price in Bush Each	ied	Ro	Price ller Bus Each	hed	Price Phosphor-I Bushed Each		
Sheave	Diam. Rope	Length of Shell	Single	Double	Triple	Single	Double	Triple	Single	Double	Triple
21/4 x11/16	1/2	4	.90	1.75	2.50	1.30	2.50	3.60	1.65	3.25	4.75
$2\frac{3}{4} \times \frac{7}{8}$	5 %	5	1.00	1.90	2.75	1.50	2.90	4.25	1.80	3.50	5.15
$3\frac{1}{4}\times1$	34	6	1.25	2.25	3.25	1.75	3.25	4.75	2.10	4.00	5.80
$4\frac{1}{4} \times 1\frac{1}{8}$	3/4 7/8	7	1.50	2.70	4.00	2.10	3.85	5.80	2.45	4.60	6.85
$5x1\frac{1}{4}$	Ĩ	8	1.85	3.20	4.75	2.55	4.60	6.85	2.90	5.30	7.90
$5\frac{1}{2} \times 1\frac{5}{6}$	11/6	9	2.40	4.00	5.50	3.20	5.60	7.90	3.55	6.30	9.00
$6\frac{1}{4} \times 1\frac{8}{8}$	11/8	10	3.10	5.10	7.00	4.05	7.00	9.85	4.40	7.70	11.00
$7\frac{1}{2} \times 1\frac{1}{2}$	111	12	5.00	8.25	11.75	6.00	10.35	14.90	6.45	11.15	16.00
$8\frac{1}{2} \times 1\frac{5}{8}$	13/8	14	7.50	11.75	16.50	8.75	14.25	20 25	9.10	15.00	21.30

Prices on Regular Mortise Blocks with Ball Bearings on application.

WIDE, MORTISE, HEAVY PURCHASE

Dimensi	ons, Inc	hes	Pla	Price in Bush Each	ed		Price Phosphor-Bronze Bushed, Each		В	Price Ball Bearing Each	
Sheaves		Length of Shell	Single	Double	Triple	Single	Double	Triple	Single	Double	Triple
7½x1¾ 8½x1¾ 10x2¼	$\frac{1\frac{1}{2}}{1\frac{3}{4}}$	12 14 16	9.00	15.00	20.00	10.80	18.50	25.50	7.00 10.00 14.00	16.50	24.00

TACKLE AND SNATCH BLOCKS

FOR MANILA ROPE

STEEL TACKLE BLOCKS WITH LOOSE HOOKS Edges Rounded to Protect the Rope







Fig. 7759A

Fig. 7759B

Fig. 7759C PRICE

DIMENSION	s, Inci	HES	PRICE,	IRON BU	SHED	PRICE ROLLER	, PATEN BUSHE	SIX D, EACH	PRICE, BRONZE BUSHE		, Еасн
Size Sheave	Rope	Shell	Single	Double	Triple	Single	Double	Triple	Single	Double	Triple
21/4x 5/8x 3/8	1/2	4	.90	1.75	2.50	1.40	2.60	3.75	1.65	3.25	4.75
3 x 3/4 x 3/8	1/2 5/8	5	1.00	1.90	2.75	1.50	2.90	4.25	1.80	3.50	5.15
3½x1 x ½	3/4 7/8	6	1.25	2.25	3.25	1.75	3.25	4.75	2.10	4.00	5.80
41/4x1 x 1/2	7/8	7	1.50	2.70	4.00	2.10	3.85	5.80	2.45	4.60	6.85
43/4 x11/8 x 5/8	1	8	1.85	3.20	4.75	2.55	4.60	6.85	2.90	5.30	7.90
61/4 x11/2 x 3/4	11/4	10	3.10	5.10	7.00	4.05	7.00	9.85	4.40	7.70	11.00
8 x15/8x 3/4	11/2	12	5.00	8.25	11.75	6.00	10.35	14.90	6.45	11.15	16.00
91/2x17/8x 7/8	13/4	14	7.50	11.75	16.50	8.75	14.25	20.25	9.10	15.00	21.30
11 x21/4x1	2	16	13.00	21.00	32.00	14.00	24.00	35.00	15.00	25.00	38.00
12 x25/8x11/8	21/4	18	22.00	35.00	50.00				25.00	41.00	59.00
$13\frac{1}{2}x3 \times 1\frac{1}{4}$	$2\frac{1}{2}$	20	30.00	50.00	65.00				34.00	58.00	77.00



Fig. 7759D

Sizes 10-inch and larger have the same score as wide mortise wooden blocks and will take the same size rope.

WIRE ROPE SNATCH BLOCKS

Sheaves Inches	Rope Inches	Price Common Bushed Each	Price Metaline Bushed Each	Price, Graphite Bronze Bushed Each
10 12	5/8	16.00 18.00	18.00 21.00	18.00 21.00
14	3/4	20.00	24.00	24.00 33.00
16 18	1 1/8	28.00 38.00	33.00 44.00	· 44 00
20	11/4	50.00	58.00	58.00

TACKLE BLOCKS FOR WIRE ROPE

DIAMOND PATTERN

HEAVY WITH LOOSE HOOK HEAVY WITH STIFF SWIVEL HOOK HEAVY WITH SHACKLES







Fig. 1427A

Eig 1407

Fig. 1427C

REGULAR PATTERN WITH LOOSE AND STIFF SWIVEL HOOKS AND SHACKLES

		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	D DIIAO				
Dime	RNOIBN	PRICE.	Iron Bushe	d, Each	PRICE, GRAI	PHITE BRO ZE	Bush'd,Ea.
Sheaves Inches	Diameter Wire Rope, Inches	Single	Double	Triple	Single	Double	Triple
$6x1 \times \frac{3}{4}$	3 8	6.00	11.00	14.00	9.00	17.00	22.00
$8x1\frac{1}{4}x^{-7}8$	1/2	8.00	13.00	16.00	11.00	19.00	24.00
$10x1\frac{1}{4}x\frac{7}{8}$	5 7	10.00	15.00	20.00	13.00	21.00	28.00
$12x1\frac{1}{2}x1$	5 8	12.00	17.00	23.00	15.00	23.00	31.00
14x1½x11/8	34 72	14.00	19.00	26.00	17.00	25.00	34.00
$16x1^{3}4x1^{1}4$	72	16.00	22.00	30.00	19.50	29.00	40.00
HEAVY	PATTERN W	ITH ST	IFF SWI	EL HO	OKS AN	D SHACE	KLES
8x11/4x 7/8	1/2	11.00	16.00	22.50	14.00	22.00	32.00
$10x1\frac{1}{4}x\frac{7}{8}$	5.5	14.00	20.00	28.00	17.00	26,00	37.00
12x112x1	5 3	16.00	23.00	31.00	19.00	29.00	41.00
14x116x116	34	18.00	25.00	36.00	21.00	31.00	45.CO
16x134x114	7 8	31.00	40.00	46.00	36.00	50.00	65.00
$18x1\frac{3}{4}x1\frac{1}{4}$	7 %	34.00	45.00	60.00	40.00	56.00	75.00
$20x1\frac{3}{4}x1\frac{1}{2}$	1	43.00	60.00	72.00	49.00	72.00	90.00
	HEAVY PAT	TERN V	VITH LO	OSE SV	VIVEL HO	OOKS	
8x11/4x 74	1/2	13.00	18.00	25.50	16.00	24.00	35.00
$10x1\frac{1}{4}x \frac{7}{8}$	5 5	16.00	22.00	31.00	19.00	28.00	40.00
12x1½x1	5.8	19.25	26.25	35.25	22.25	32.25	45.25
14x115x114	34	21.75	28.75	40.75	24.75	34.75	50.75
16x134x114	7.	35.00	44.00	49.00	40.00	54.00	70.00
$18x1^{3/4}x1^{1/4}$	72	39.50	50.00	66.00	45.00	61.00	81.00

BLOCKS FOR WIRE ROPE

TACKLE BLOCKS
WITH LOOSE HOOK WITH STIFF HOOK





Fig. 7098B

SNATCH BLOCK SELF-LOCKING CLASP ·



Fig. 7098C

TACKLE BLOCKS FOR WIRE ROPE

With Loose or Stiff Swivel Hooks or Shackles

DIMENSI	ons, Inches	Price	Iron Bushi	ED. EACH	Price. Phosphor-Bronze Bushed, Each			
Sheaves	Diameter Wire Rope	Single	Double	Triple	Single	Double	Triple	
10x1½x ⁷ / ₈ 12x1½x1 14x1½x1½	1/2 and 5/8 5/8 " 3/4 3/4 " 7/8	14.00 16.00 18.00	$20\ 00$ 23.00 25.00	28.00 31.00 36.00	17.00 19.00 21.00	26.00 29.00 31.00	37.00 41.00 45.00	

These blocks have malleable iron shells and forged steel straps extending below the pins. The shells have rounded edges and middles and will not wear the rope.


IMPROVED SNATCH BLOCKS FOR WIRE ROPE

Size of Sheaveinches	10	$\overline{12}$	14	$\overline{16}$	18
For Wire Ropeinches	5/8	5,8	34	78	1
Price, Star Metaline Bushed each	18.00	21.CO	24.00	33.00	44.00

Fitted with self-locking clasp, consisting of a lip and link, and having a center extension piece coming close to the sheave, preventing the wire rope from leaving the heave. It also prevents the shell from pinching or binding the sheave.

WROUGHT IRON GIN BLOCKS

WITH SWIVEL HOOKS FOR GRASS AND WIRE ROPE



REGULAR AND HEAVY PATTERNS

•	REG	JULAR PA	TTERN		· HEAVY PATTERN						
Sheaves Inches	Rope Inches	Iron Bushed Each	Roller Bushed Each	Self Lubri- cating Metaline or Bronze Bushed Each	Sheaves Inches	Rope Inches	Iron Bushed Each	Roller Bushed Each	Self Lubri- cating Metaline or Bronze Bushed Each		
6	1	3.15	4.00	4.75	8	11/4	6.00	7.00	8.00		
					10	13 3	8.00	9.00	10.00		
8	1	3.85	4.70	5.50	12	112	10.00	11.00	12.00		
					15	134	12.00	14.00	15.00		
10	1	4.55	5.75	6.55	18	13/4	15.00	19.00	20.00		
::	: .		<u></u>			•••	• • • • •				
12	1	5.80	7.10	7.90	• •						
14	11/4	6.30	7.60	8.50							
16	11/2	8.40	9.70	10.70					1		

FOR WIRE ROPE

Sheaves, Inches	Wire Rope, Inches	Price. Phosphor-Bronze, Each		
		Single	Double	Triple
10	5 4	11.00	18.00	-28.00
12	5 2	12.50	20.00	31.00
14	3 4	15.00	23.00	36.00
16	73	18.00	27.00	46.00
18	1 7	23.00	32.00	53.00
20	116	28.00	38.00	65.00


SKIDDER BLOCKS AND LOADING CARRIAGES FOR LOGGING ENGINES

SKIDDER BLOCK



Fig. 1906A

LOADING CARRIAGE



The above Skidder Block is used in connection with Lidgerwood Hoisting Engines for logging. It is made very heavy to withstand severe service. The sheaves can be furnished either of cast or manganese steel, and are renewable when worn. Furnished in 11 and 17-inch diameter sheaves, with rigid or swivel eye, and for any size logging rope.

The Loading Carriage is used for handling logs discharged by skidder and loading same on cars.

Special catalogues describing the above and other Lidgerwood logging equipment will be sent on request.

Prices on application.